

Safe Use Instructions Sheet *

Issued: 11. March 2011 Printed: 10. März 2011

Page 1 / 4

JP / SUIS GB Marine Tape G120 2011-03.doc

1. Identification of the Product and the Company

ISOVER Marine Tape G 120

Use of the Product:

Self adhesive glass cloth tape

Company:

SAINT-GOBAIN ISOVER G+H AG Buergermeister-Gruenzweig-Straße 1 D - 67059 Ludwigshafen/Rhein

Telephone: ++49 (0)621 501 200
Telefax: ++49 (0)621 501 201
E-Mail: dialog@isover.de
Department: ISOVER Dialog

Emergency telephone number: ++49 (0)621 501 200 (open at usual working hours)

2. Hazard Identification

The glass cloth is composed of glass filaments over 3 µm in diameter and therefore not respirable and not classified as hazardous according to European Directive 67/548/EEC. Mechanical irritation (itching), eventually allergy (extremely rare) may occur by dust generated on product processing.

3. Composition / Information on Ingredients

Chemical characteristics:

Glass cloth (CAS no. 65997-17-3) coated with acrylic adhesive

(CAS no. 9003-49-0).

Hazardous ingredients

None

^{*}In Consideration of Regulation (EC) No 1907/2006 (REACH)

Issued: 11. March 2011

Printed: 10. März 2011 Page 2 / 4

SUIS_GB_Marine Tape G120_2011-03.doc

4. First Aid Measures

In case of inhalation:

./.

In case of skin contact:

In case of exposure to dust and consequent irritation wash skin

with soap and water. Do not rub.

In case of eye contact:

In case dust particles enters into eyes rinse with eyewash

solution or clean water. Do not rub.

If first aid measures don't produce relief or discomfort continues, call on medical advice.

5. Fire Fighting Measures

The tape is classified as low flame spread acc. to IMO FTP-Code. In case of fire CO_2 or CO may be generated.

Suitable extinguishing media:

Water, foam, carbon dioxide (CO₂) and dry powder.

Additional information:

Do not inhale combustion gases. A self-contained breathing apparatus and full protective clothing should be worn in fire

conditions.

6. Accidental Release Measures

./.

7. Handling and Storage

Handling:

Avoid dust generation by coarse cutting of abrasion.

Protection outfit:

./.

<u>Fire and explosion protection:</u> Pay attention to general rules in plant fire protection.

Printed: 10. März 2011

Page 3 / 4

SUIS_GB_Marine Tape G120_2011-03.doc

8. Exposure Controls / Personal Protection

Inhalation, skin and eye protection:	
	./.

9. Physical and Chemical Properties

General information:

Physical state: Solid Colour: White Odour: None

Safety relevant basis data:

Softening point: Approx. 850 °C (glass cloth)

Ignition point: ./.
Flash point: ./.
Explosive limits: ./.

10. Stability and Reactivity

Stable in normal use. No hazardous chemical reaction to be expected.

Conditions to be avoided:

Avoid temperature exceeding 200°C.

Materials to be avoided:

./.

Hazardous decompositon products:

CO₂, CO

11. Toxicological Information

Acute toxicity:

None

Localised effects:

Possible temporary irritations of skin and eyes by dust.

Sensitisation:

In rare cases some allergies have been reported.

Safe Use Instructions Sheet

Issued: 11. March 2011

Printed: 10. März 2011 Page 4 / 4

SUIS_GB_Marine Tape G120_2011-03.doc

12. Ecological Information

It is not expected that the tape cause harm to animals, plants or fish.

13. Information about Disposal

Depending on local regulations tape wastes can either be considered as inert waste or as common industrial waste. Small quantities can be disposed of with household waste.

14. Transport Information

Adhesive Tapes are not considered as hazardous goods by transport regulations.

Land transport (ADR/RID/GGVSE):

Not classified.

Inland water transport (ADN/ADNR):

Not classified.

Sea transport (IMDG):

Not classified.

<u>Air transport (ICAO-TI / IATA-DGR):</u>

Not classified.

15. Regulatory Information

This tape is not a dangerous good acc. to valid EC guidelines e.g. EG1907/2006 and does not require hazardous product labelling.

16. Other Information:

None

This Safe Use Instruction Sheet is based on our current knowledge at the date of issue and is supposed to describe Saint-Gobain ISOVER G+H products with regard to safety requirements. It is not meant to guaranty with a legally binding effect the presence/absence of certain properties.